

GR Yaris

ΤΟΥΟΤΑ

Please Note: information is accurate as at March 2025.

Specification and imagery are indicative and should only be used as a guide. Vehicle and accessory specification, features, colour and trim may differ at the time of vehicle delivery.







| MECHANICAL | SPECIFICATIONS | | GR | Yaris |
|------------|--|-------------|--|---------------------------|
| ENGINE | Engine code | | G16E-GTS | |
| | Description | | 1.6L 3-cyclinder turbo charged | |
| | Max power (kW) | | 221 | |
| | Max torque (Nm) | | 400 | |
| | CO ₂ emissions ² (combined g/km) | | Manual transmission = 186 / Automatic transmission = 206 | |
| FUEL | Fuel economy ³ (L/100km) | Combined | Manual transmission = 8.2 / Automatic transmission = 9.1 | |
| | | Extra Urban | Manual transmission = 6.7 / Automatic transmission = 6.9 | |
| | | Urban | Manual transmission = 10.8 / Automatic transmission = 13.0 | |
| | Recommended fuel octane rating | | 98 | |
| DRIVETRAIN | Driveline | | GR-FOUR AWD system Electronic multi-plate clutch AWD – 3 selectable modes | |
| | Transmission | | i-MT 6-speed manual (EA67F) | 8-speed automatic (UC80F) |
| | Transmission gear ratio | | 1st - 3.5384 | 1st – 4.4352 |
| | | | 2nd – 2.2380 | 2nd – 2.809 |
| | | | 3rd – 1.5357 | 3rd – 1.9333 |
| | | | 4th – 1.1621 | 4th – 1.497 |
| | | | 5th – 1.0810 | 5th – 1.266 |
| | | | 6th – 0.9024 | 6th – 1.0 |
| | | | | 7th – 0.793 |
| | | | | 8th – 0.65 |
| | | | Reverse – 3.831 | Reverse – 3.59 |
| | Final drive gear ratio | | 3.941 (1st-4th) / 3.350 (5th-6th, Rev) | |
| BRAKES | Front | | Ventilated disc brake with fixed caliper 4-cyclinder | |
| | Rear | | Ventilated disc brake with fixed caliper 2-cyclinder | |
| | Brake control system | | Anti-lock Braking System with Vehicle Stability Control and Brake Assist | |
| SUSPENSION | Suspension | | MacPherson Strut front suspension and trailing double wishbone | |
| | High performance suspension | | GTS only | |

| GR YARIS GRADE | | GT | GTS |
|-----------------------------|---|---|--|
| WEIGHTS AND CAPACITIES | Vehicle kerb weight ¹ (kg) | ا Manual Transmission: 1280 / Automatic Transmission: 1300 | |
| (APPROXIMATE) | Gross vehicle weight ¹ (kg) | 1645 | 1645 |
| | Seating capacity | 4 | 4 |
| | Cargo capacity ¹ (VDA) (Max) | 174 | 174 |
| | Fuel tank capacity ¹ (L) | 50 | 50 |
| WHEELS | Design and size | ENKEI™, 418" alloy wheels | BBS 18" forged alloy wheels |
| | Tyres | 225/40ZR18 – DUNLOP® ⁴ SP SPORT MAXX 050 | 225/40R18 - MICHELIN™, ⁴ PILOT SPORT 4S |
| | Tyre repair kit | • | • |
| INTERIOR | Aluminium pedals – brake, accelerator, clutch | • | • |
| | Leather wrapped gear lever | • | • |
| | GR leather heated steering wheel | • | • |
| | Leather parking brake lever | • | • |
| | Soft touch instrument panel | • | • |
| | Auto-dimming rear mirror | • | • |
| | 60:40 split folding rear seats | • | • |
| | Front heated seats | • | • |
| | GR sports seats – suede and synthetic leather accented trimmed | Silver stitching | Red stitching |
| EXTERIOR | LED Daytime Running Lamps | • | • |
| | LED rear fog lamps | • | • |
| | LED headlamps with Automatic High Beam | • | • |
| | GR red brake calipers | | • |
| | Auto-electronically retractable door mirrors | • | • |
| INSTRUMENTS AND CONTROLS | 12.3" Digital Multi Information Display | • | • |
| | Drive mode select | • | • |
| | Smart entry and start system | • | • |
| | Automatic climate control air conditioning | • | • |
| STORAGE AND CONVENIENCE | Centre console cup holders x2 | • | • |
| | Illuminated entry | • | • |
| | Driver and front passenger sunvisors with mirror | • | • |
| | Driver and passenger door pocket bottle holder | • | • |
| MULTIMEDIA | 8" colour touchscreen display | • | • |
| | Satellite navigation | • | • |
| | 2x USB-C port ⁶ | • | • |
| | Digital radio ⁷ (DAB+) | • | • |
| | Bluetooth® ⁸ connectivity | • | • |
| | Voice recognition, Mobile Assistant, Siri® ⁹ Eyes Free | • | • |
| | Wireless Apple CarPlay® ⁹ and wireless Android Auto ^{™,9} | • | • |
| | JBL ^{®4} 8-speaker audio | • | • |
| | Steering wheel controls for Multi Information Display, telephone and audio | • | • |
| | Remote air conditioning | • | • |

| GR YARIS GRADE | | GT | GTS | |
|---------------------------------|--|-----------------------------|-----|--|
| SAFETY ¹² | Toyota Safety Sense ¹¹ – including High-speed Active Cruise Control, Lane Departure Alert, Pre-Collision Safety System, Road Sign Assist (speed signs only), Lane Trace Assist and Automatic High Beam | • | • | |
| | Blind Spot Monitor and Safe Exit Assist | • | • | |
| | Reversing camera with guidelines | • | • | |
| | Anti-lock Braking System with Electronic Brake-force Distribution and Brake Assist | • | • | |
| | Vehicle Stability Control and Traction Control | • | • | |
| | Hill-start Assist Control | • | • | |
| | SRS airbags | • | • | |
| | Seatbelt warning | • | • | |
| | ISOFIX child restraint anchorage points – rear seats | • | • | |
| | All Speed Adaptive Cruise Control – automatic only | • | • | |
| | Parking Support Brake System – automatic only | • | • | |
| | Engine immobiliser | • | • | |
| | Front and rear parking sensors with Rear Cross Traffic Alert | • | • | |
| TOYOTA CONNECTED SERVICES | Complimentary access to SOS Emergency Call, Automatic Collision Notification and Essential Vehicle Insights – via myToyota Connect app ¹³ | • | • | |
| | Complimentary 1 year access to Stolen Vehicle Tracking, Status Connect, Remote Connect and Multimedia Connect – via myToyota Connect app ¹² | 1 year complimentary access | | |

Weights/mass/volumes/dimensions are approximate and subject to individual vehicle variances, 1

- Weights/mass/volumes/dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories, towing or otherwise relying on this value. Results were achieved under laboratory conditions and do not reflect the emissions in real world driving. Results achieved for GR Yaris GT/GTS Manual and Automatic in ADR81/02 combined drive cycle CO2 testing. Urban cycle results achieved 243g/km and 295g/km and extra urban cycle achieved 152g/km and 155g/km. Results produced in laboratory test conditions, using new sample vehicles without fitment of accessories/customisation, and may not be replicable. Results achieved in ADR81/02 laboratory fuel consumption testing and do not reflect the fuel consumption in real world driving. Results were produced using new sample vehicles without fitment of accessories/customisation, and may not be replicable. Product and company names are trademarks of their respective owners. Service varies based on vehicle location. See sumatraffic com au 2
- 3 4
- 5
- Service varies based on vehicle location. See sunatraffic.com.au Compatibility and functionality varies depending on device. Coverage dependent on vehicle location.
- 6 7
- 8 9
- Bluetooth® is a registered trademark of Bluetooth SIG, Inc. CarPlay® and Siri® are trademarks of Apple, Inc. registered in the U.S. and other countries. Android Auto™ is a trademark of Google LLC. Requires compatible device, USB connection, mobile data, network reception & GPS signal. Mobile usage at user's cost. Apps subject to change. For details see toyota.com.au/connected

IMPORTANT NOTICE - PLEASE READ:

Toyota Australia uses its best endeavours to ensure material is accurate at the time of publishing. All information must be confirmed with your Toyota Dealer at the time of ordering, as specifications, applicability and availability may change over time. Colours depicted are a guide only and may vary from actual colours due to the printing/display process. Toyota Australia reserves the right to change and/or discontinue, without notice, models, prices, colours, materials, equipment, specifications. To the extent permitted by law, Toyota Australia will not be liable for any damage or loss incurred

- 10 Save for Toyota trademarks depicted, all other product and company names are trademarks of their respective owners.
- or their respective owners.
 11 Driver assist feature. Only operates under certain conditions. Check your Owner's Manual for explanation of limitations. Please drive safely.
 12 Connected Services complimentary period ends 1 year from delivery date. Fees may apply thereafter. See toyota.com.au/connected/plans-packages Not available outside Australia, if services disabled or terminated, or after 2033/Telstra 4G sunset (whichever comes first). Dependent on 3G/4G enabled or terminated. or terminated, or after 2033/leistra 4G sunset (whichever comes first). Dependent on 3G/4G enabled DCM, GPS signal strength, mobile network coverage and other factors outside Toyota's control which can limit ability or functionality of system. Requires compatible device and app installation, third party info and mobile data. Mobile usage at user's cost. Check **toyota.com.au/connected** or your Owner's Manual for explanation of limitations. Features subject to change. Please drive safely. 13 Not available outside Australia, if services disabled or terminated, or after 2033/Telstra 4G sunset (whichever comes first). Dependent on sufficient battery power, 3G/4G enabled DCM, GPS signal strength, mobile network coverage and other factors outside Toyota's control which can limit ability or finitipality of interm. Beau first and and interval. It is think approximation and the soft.
- or functionality of system. Requires compatible device and app installation, third party info and mobile data. Mobile usage at user's cost. Check **toyota.com.au/connected** or your Owner's Manual for explanation of limitations. Features subject to change. Please drive safely.

from relying on the information and images contained in this material. Distributed nationally (other than in Western Australia) by Toyota Motor Corporation Australia Limited ABN 64 009 686 097. Material distributed in Western Australia by or on behalf of Prestige Motors Pty Ltd (for vehicles) and by Eastpoint Pty Ltd (for parts/accessories). Toyota Australia makes no warranties regarding (and will not be liable for) accuracy of materials distributed in Western Australia. PROOF HQ: T2025-022061. GTP-008898. VERSION: MARCH 2025.